



Bridgeport
TRADE MARK

MECHANICS' HAND TOOLS


CATALOG #63

SCREWDRIVERS	Page
CUSHION GRIP	2, 3
RHINO	4, 5
800 LINE	6
WOOD	7
PHILLIPS, SCREW HOLDING AND CLUTCH HEAD	8
SPECIALS	9
NUTDRIVERS	10
WOOD CHISELS	11
AWLS	11
PUTTY KNIVES AND SCRAPERS	11
TROWELS	11
NAIL PULLERS	11
WRENCHES	12
PLIERS	13
COLD CHISELS	13
ADJUSTABLE WRENCH	13
NAIL SETS	13
SAWS	13
AXES, RIPPING TOOLS	14
BOX OPENING TOOLS	14
HEX KEYS	15

THE BRIDGEPORT HARDWARE MFG. CORP.
Subsidiary of PUROLATOR PRODUCTS, Inc.

Bridgeport

CUSHION-GRIP



SUPER COMFORTABLE

Resilient genuine Nitrile rubber grip never hurts the hand — no matter how hard you grip or twist. Non-slip grip.

TREMENDOUS TURNING POWER

More work, less effort with Cushion Grip.

UNBREAKABLE HANDLE

Hammerproof • shock-proof • non-flammable.

UNCONDITIONALLY GUARANTEED

Meets Federal Specification Nos. 5120-988-6491 through 7074.

**BOLSTERED HEAVY DUTY BLADE —
WINGED SHANK
CHROME-VANADIUM STEEL
FULL CHROME PLATED FINISH.**

**PRECISION POINT
CROSS-GROUND
FLATS AND EDGES**

CUSHION GRIP

Interlocked "Tongue & Groove Handle". Two way interlocking of the slotted amber plastic handle and Nitrile rubber sleeve completely and permanently prevents slipping or loosening.

(USA PATENT 2871899)



MECHANICS ROUND

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
2143-3	3"	7/32"	6 5/16"	6	2 lbs.
2143-4	4"	1/4"	7 3/4"	6	3 lbs.
2143-6	6"	5/16"	10 1/2"	6	5 lbs.
2143-8	8"	3/8"	13"	6	7 lbs.
2143-10	10"	3/8"	15"	6	7 3/4 lbs.
2143-12	12"	3/8"	17"	6	8 3/4 lbs.

MECHANICS SQUARE

2343-4	4"	1/4"	7 3/4"	6	3 1/4 lbs.
2343-6	6"	5/16"	10 1/2"	6	5 1/2 lbs.
2343-8	8"	3/8"	13"	6	8 lbs.
2343-12	12"	3/8"	17"	6	10 lbs.
Stubby					
2343-1 1/4	1 1/4"	1/4"	3 3/8"	6	1 1/2 lbs.

ELECTRICIANS ROUND

2142-4	4"	1/4"	7 3/4"	6	3 lbs.
2142-6	6"	1/4"	9 3/4"	6	4 lbs.
2243-3	3"	5/16"	6 5/16"	6	2 lbs.
2243-6	6"	5/16"	9 5/16"	6	2 1/4 lbs.
2243-8	8"	3/8"	11 5/16"	6	2 1/2 lbs.
2243-10	10"	3/8"	13 5/16"	6	3 lbs.

NEW INSULATED SPECIAL ELECTRICIANS

This special screwdriver is insulated with an extremely resilient plastic, highly resistant to cutting or cracking and with excellent dielectric properties which reduces the danger of shock.



2401-3	3"	3/16"	6 5/16"	6	2 1/4 lbs.
2401-4	4"	1/4"	7 3/4"	6	3 1/4 lbs.
2401-6	6"	5/16"	10 1/2"	6	5 1/4 lbs.
2401-8	8"	3/8"	13"	6	7 1/4 lbs.

Additional Sizes Available To Order.

GENUINE PHILLIPS

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
2501	#1	3"	3/16"	6 5/16"	6	2 lbs.
2502	#2	4"	1/4"	7 3/4"	6	3 lbs.
2503	#3	6"	5/16"	10 1/2"	6	5 lbs.
2504	#4	8"	3/8"	13"	6	6 1/2 lbs.
Stubby						
2522	#2	1 1/4"	1/4"	3 3/8"	6	1 1/2 lbs.

See Page 8 for complete PHILLIPS listing.

NUTDRIVERS • COLOR CODED

ONE PIECE • DEEP DRILLED — POLISHED CHROME BLADE

Catalog Number	Blade Length	Color Code	Wt. Doz.
490-3/16	3 1/8"	Black	2 1/2 lbs.
490-7/32	3 3/8"	Brown	2 1/2 lbs.
490-1/4	3 1/2"	Red	2 1/2 lbs.
490-9/32	3 5/8"	Orange	2 1/2 lbs.
490-5/16	3 3/4"	Yellow	2 1/2 lbs.
490-11/32	3 7/8"	Green	2 1/2 lbs.
490-3/8	3 7/8"	Blue	3 lbs.
490-7/16	3 3/4"	Brown	4 1/4 lbs.
490-1/2	3 3/4"	Red	4 1/4 lbs.
490-9/16	3 3/4"	Orange	4 1/2 lbs.


Std. Pack 6/box

See Page 10 for NUTDRIVER SETS and complete information.

CATALOG NO. 2705 SET

De Luxe Assortment

Individually Gift Boxed



Contains 1 each of 2143-4, 2143-6, 2243-6 and 2502-4
Individually boxed Weight 1 1/2 lbs.

NO. 2704 ASSORTMENT

The Complete Assortment — every **CUSHION GRIP** screwdriver in a balanced assortment — plus 5 popular sizes of nutdrivers.

Qty.	Catalog Number	Description
2	2142-4	Cabinet Point
2	2142-6	Cabinet Point
2	2143-3	Mechanics Round
4	2143-4	Mechanics Round
2	2143-6	Mechanics Round
2	2143-8	Mechanics Round
1	2143-10	Mechanics Round
1	2143-12	Mechanics Round
2	2243-3	Electricians Round
2	2243-6	Electricians Round
1	2243-8	Electricians Round
1	2243-10	Electricians Round
2	2343-1 1/4	Mechanics Stubby
2	2343-4	Mechanics Square
2	2343-6	Mechanics Square
1	2343-8	Mechanics Square
1	2343-12	Mechanics Square
2	2522	#2 Genuine Phillips
2	2501	#1 Genuine Phillips
1	2502	#2 Genuine Phillips
1	2503	#3 Genuine Phillips
1	2504	#4 Genuine Phillips
2	490-1/4	Nutdriver
2	490-5/16	Nutdriver
1	490-11/32	Nutdriver
2	490-3/8	Nutdriver
1	490-7/16	Nutdriver

Display Size
21" wide
31 1/2" high
4 3/4" deep

Standard Pack
37 Screwdrivers
8 Nutdrivers

Free Display Board
Shipping Weight 32 Lbs.

Bridgeport CUSHION GRIP DISPLAYS



NO. 2706 ASSORTMENT

NEW for 1963 — NEW DISPLAY UNIT — NEW ASSORTMENT

SUPER-FAST TURNOVER — 14 Fastest selling styles in a 33 piece sales coordinated assortment. Designed for counter or peg board display.

Qty.	Catalog Number	Description	Qty.	Catalog Number	Description
2	2142-6	Cabinet Point	2	2343-4	Mechanics Square
2	2143-3	Mechanics Round	2	2343-6	Mechanics Square
4	2143-4	Mechanics Round	2	2343-1 1/4	Mechanics Stubby
2	2143-6	Mechanics Round	2	2501	#1 Genuine Phillips
1	2143-8	Mechanics Round	2	2502	#2 Genuine Phillips
2	2243-3	Electricians Round	2	2522	#2 Genuine Phillips
2	2243-6	Electricians Round	6	543-2	Pocket with Clip

NO. 2703 ASSORTMENT

Complete **CUSHION GRIP** Screwdriver Assortment in a new compact metal display rack. Designed for wall or counter display.


Qty.	Catalog Number	Description	Qty.	Catalog Number	Description
2	2142-4	Cabinet Point	1	2243-10	Electricians Round
2	2142-6	Cabinet Point	2	2243-1 1/4	Stubby
2	2143-3	Mechanics Round	2	2343-4	Mechanics Square
3	2143-4	Mechanics Round	2	2343-6	Mechanics Square
3	2143-6	Mechanics Round	1	2343-8	Mechanics Square
2	2143-8	Mechanics Round	1	2343-12	Mechanics Square
1	2143-10	Mechanics Round	2	2501	#1 Genuine Phillips
1	2143-12	Mechanics Round	2	2502	#2 Genuine Phillips
2	2243-3	Electricians Round	1	2503	#3 Genuine Phillips
2	2243-6	Electricians Round	1	2504	#4 Genuine Phillips
1	2243-8	Electricians Round	2	2522	#2 Stubby Phillips

CUSHION GRIP Nutdriver Display Racks on Page 10.



Display Size
21 1/2" wide
9" high
8 1/2" deep

Standard Pack
33 Screwdrivers
Free Display Unit
Shipping Weight 12 Lbs.



Display Size
21 1/2" wide
9" high
8 1/2" deep

Standard Pack
38 Screwdrivers
Free Display
Shipping Weight 13 Lbs.

RHINO



COMFORTABLE GRIP

Oversize handle plus exclusive comfort design gives extra torque without hurting hand.

UNBREAKABLE HANDLE

Extruded high strength plastic is non-flammable, hammer-proof and shock-proof.

CHROME-VANADIUM STEEL BLADES

Full tempered chrome-vanadium alloy steel blades. Overall polish. Blade point flats and edges are accurately ground and gauged for true fit.

UNCONDITIONALLY GUARANTEED

MECHANICS ROUND

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
143-3	3"	7/32"	6 3/16"	6	1 1/2 lbs.
143-4	4"	1/4"	7 1/2"	6	2 1/2 lbs.
143-5	5"	5/16"	9 1/4"	6	4 1/2 lbs.
143-6	6"	5/16"	10 1/4"	6	5 lbs.
143-8	8"	3/8"	13"	6	7 lbs.
143-10	10"	3/8"	15 1/2"	6	8 lbs.
143-12	12"	3/8"	17 1/2"	6	9 1/2 lbs.
Pocket with Clip					
543-2	2"	1/8"	3 15/16"	12	1/2 lb.

MECHANICS SQUARE

343-4	4"	1/4"	7 3/4"	6	3 lbs.
343-6	6"	5/16"	10 1/4"	6	5 1/4 lbs.
343-8	8"	3/8"	13"	6	6 lbs.
343-12	12"	3/8"	17 1/2"	6	10 1/2 lbs.
Stubby					
443-1 1/4	1 1/4"	1/4"	3 1/8"	6	1 1/4 lbs.

ELECTRICIANS ROUND

243-3	3"	3/16"	6 3/16"	6	1 1/4 lbs.
243-4	4"	3/16"	7 1/2"	6	2 lbs.
243-6	6"	3/16"	9 1/2"	6	2 1/4 lbs.
243-8	8"	3/16"	11 1/2"	6	2 1/2 lbs.
243-10	10"	3/16"	13 1/2"	6	3 lbs.

GENUINE PHILLIPS

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
300	#0	3"	1/8"	4 7/16"	6	1/2 lbs.
301	#1	3"	3/16"	6 3/16"	6	1 1/2 lbs.
302	#2	4"	1/4"	7 1/2"	6	2 1/4 lbs.
303	#3	6"	5/16"	10 1/4"	6	5 lbs.
304	#4	8"	3/8"	13"	6	6 lbs.
331	#1	8"	3/16"	11 1/2"	6	2 lbs.
332	#2	6"	1/4"	9 1/2"	6	2 3/4 lbs.
Stubby						
311	#1	1"	3/16"	2 11/16"	6	1 lb.
322	#2	1 1/4"	1/4"	3 1/8"	6	1 1/2 lbs.

See complete listing of PHILLIPS Screwdrivers on Page 8.

ELECTRONIC THIN BLADES

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
244-4	4"	9/64"	6 3/4"	6	1/2 lb.
244-6	6"	9/64"	8 3/4"	6	1/2 lb.
244-8	8"	9/64"	10 3/4"	6	3/4 lb.

SCREW HOLDING MECHANICS POINT

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
247-2	2"	1/8"	3 15/16"	6	1/2 lb.
247-3	3"	1/8"	5 3/4"	6	3/4 lb.
247-4	4"	1/8"	6 3/4"	6	7/8 lb.
247-6	6"	1/8"	9 3/16"	6	1 1/4 lbs.
247-8	8"	1/8"	11 3/16"	6	1 1/2 lbs.
248-2	2"	3/16"	3 7/8"	6	1 1/4 lbs.
248-4	4"	3/16"	7 1/2"	6	1 3/4 lbs.
248-7	7"	3/16"	10 1/2"	6	2 1/2 lbs.
249-8	8"	9/32"	12 1/4"	6	3 lbs.

See Page 5 for Display.

SCREW HOLDING PHILLIPS POINT

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
261-3	#1	3"	3/16"	6 3/16"	6	1 1/2 lbs.
262-4	#2	4"	1/4"	7 1/2"	6	2 1/4 lbs.

See complete listing of PHILLIPS Screwdrivers on Page 8.

CLUTCH HEAD TYPE 'G'

Catalog Number	Clutch Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
401	5/32"	4"	1/4"	7 1/2"	6	2 1/2 lbs.
402	3/16"	4"	1/4"	7 1/2"	6	2 1/2 lbs.
403	1/4"	6"	5/16"	9 3/4"	6	4 1/2 lbs.
404	5/16"	6"	3/8"	9 3/4"	6	5 1/2 lbs.

See Page 8 for complete listing of all Clutch Head and PHILLIPS POINTS

NUT DRIVERS • COLOR CODED

ONE PIECE • DEEP DRILLED CONSTRUCTION — PLATED BLADE

Catalog Number	Blade Length	Color Code	Wt. Doz.
478-3/16	3 1/8"	Black	2 lbs.
478-7/32	3 1/8"	Brown	2 lbs.
478-1/4	3 1/8"	Red	2 lbs.
478-9/32	3 1/8"	Orange	2 lbs.
478-5/16	3 1/8"	Yellow	2 lbs.
478-11/32	3 1/8"	Green	2 lbs.
478-3/8	3 3/8"	Blue	3 3/4 lbs.
478-7/16	3 3/8"	Brown	4 lbs.
478-1/2	3 3/8"	Red	4 lbs.
478-9/16	3 3/8"	Orange	4 1/2 lbs.

Std. Pack 6/box.

See Page 10 for NUT DRIVER SETS and details of all NUT DRIVERS.

All **RHINO** displays are sales coordinated for balanced sales. Display units are designed for counter or peg board merchandising.

NO. 701 ASSORTMENT

NEW

SUPER-TURNOVER • SELECTED ASSORTMENT

Ideal for the smaller dealer

14 biggest selling styles in a 38 piece display

Qty.	Catalog Number	Description	Qty.	Catalog Number	Description
2	143-3	Mechanics Round	2	443-11 $\frac{1}{4}$	Mechanics Stubby
4	143-4	Mechanics Round	2	244-4	Extra Thin Round
2	143-6	Mechanics Round	2	247-4	Screwholding
2	243-3	Electricians Round	6	543-2	Pocket with Clip
2	243-6	Electricians Round	4	301	#1 Genuine Phillips
2	343-4	Mechanics Square	4	302	#2 Genuine Phillips
2	343-6	Mechanics Square	2	322	#2 Phillips Stubby

NO. 730 ASSORTMENT

COMPLETE SELECTION OF ALL GENUINE PHILLIPS SIZES

A must for radio, TV, electronics, hobby and industrial sales

2	300	#0 pt. Genuine Phillips	2	261	#1 pt. Screwholding Phillips
2	301	#1 pt. Genuine Phillips			
2	331	#1 pt. Genuine Phillips	2	262	#2 pt. Screwholding Phillips
2	302	#2 pt. Genuine Phillips			
2	332	#2 pt. Genuine Phillips		Stubby	
2	303	#2 pt. Genuine Phillips	2	311	#1 pt. Genuine Phillips
2	304	#4 pt. Genuine Phillips	2	322	#2 pt. Genuine Phillips

NO. 720 ASSORTMENT

A complete assortment of **SCREWHOLDING** types

Featuring the unique Bridgeport extra wide holding grip

2	249-8	$\frac{9}{16}$ "	sq. blade	2	247-4	$\frac{1}{8}$ "	sq. blade
2	248-2	$\frac{3}{16}$ "	sq. blade	2	247-6	$\frac{1}{8}$ "	sq. blade
2	248-4	$\frac{3}{16}$ "	sq. blade	2	247-8	$\frac{1}{8}$ "	sq. blade
2	248-7	$\frac{5}{16}$ "	sq. blade	2	261	$\frac{3}{16}$ "	rd. blade Phillips
2	247-2	$\frac{1}{8}$ "	sq. blade	2	262	$\frac{1}{4}$ "	rd. blade Phillips
2	247-3	$\frac{1}{8}$ "	sq. blade				

MASTER NO. 700 ASSORTMENT

ALL RHINO SCREWDRIVERS IN A SALES MASTER ASSORTMENT
Balanced stock of 80 top quality Screwdrivers. 32 styles and sizes

Catalog			Catalog		
Qty.	Number	Description	Qty.	Number	Description
3	143-3	Mechanics Round	3	244-8	Extra Thin Blade
3	143-4	Mechanics Round	3	247-2	Screwholding— $\frac{1}{8}$ " blade
3	143-6	Mechanics Round	3	247-3	Screwholding— $\frac{1}{8}$ " blade
2	143-8	Mechanics Round	3	247-4	Screwholding— $\frac{1}{8}$ " blade
2	143-10	Mechanics Round	3	247-6	Screwholding— $\frac{1}{8}$ " blade
3	243-3	Electricians Round	3	248-2	Screwholding— $\frac{3}{16}$ " blade
3	243-6	Electricians Round	3	248-4	Screwholding— $\frac{3}{16}$ " blade
3	243-8	Electricians Round	2	248-7	Screwholding— $\frac{3}{16}$ " blade
3	343-4	Mechanics Square	2	249-8	Screwholding— $\frac{9}{32}$ " blade
3	343-6	Mechanics Square	2	261	#1 Phillips Screwholding
2	343-8	Mechanics Square	2	262	#2 Phillips Screwholding
1	343-12	Mechanics Square	2	301	#1 Genuine Phillips
3	443-1 $\frac{1}{4}$	Mechanics Stubby	2	302	#2 Genuine Phillips
3	543-2	Pocket with Clip	1	303	#3 Genuine Phillips
3	244-4	Extra Thin Blade	1	304	#4 Genuine Phillips
3	244-6	Extra Thin Blade	2	322	#2 Phillips Stubby

Display Size
17" wide
24" high
4½" deep

Standard Pack
80 Screwdrivers
Free Display


Shipping Weight
30 Lbs.



Display Size
24 1/2" wide
9" high
8 1/2" deep

Standard Pack
38 Screwdrivers
Free Metal Display

Shipping Weight 11 Lbs.




Display Size
16" wide
13" high
8" deep

Standard Pack
22 Genuine Phillips
Screwdrivers

Free Metal Display

Shipping Weight 7½ Lbs.



Display Size
16" wide
13" high
8" deep

Standard Pack
22 Screwholding
Screwdrivers

Free Metal Display

Shipping Weight 7½ Lbs.





NEW 800 LINE

Exposed blade allows customer to judge the quality.



EXCLUSIVE "see-thru" PACKAGE
BRIDGEPORT'S unique FULL-VIEW point-of-purchase bright, colorful 800 SERIES Display Card with Eye-appeal — sales appeal Pilfer proof. Full sales message printed both sides. High profit • fast turnover • 10 popular sizes • all styles.



FEATURES FULL SIZED HANDLE of clear, unbreakable, hammer-proof, non-flammable plastic. Precision ground points — tool steel plated blade.

CARDED

Catalog Number	Blade Length	Description	Std. Pack	Wt. Box
801C-4	4 x 1/4	Mechanics Round	10	2 1/2 lbs.
801C-6	6 x 5/16	Mechanics Round	10	4 lbs.
Stubby				
801C-1 1/4	1 1/4 x 1/4	Mechanics Round	10	1 1/2 lbs.
802C-3	3 x 3/16	Electricians Round	10	1 1/2 lbs.
802C-6	6 x 3/16	Electricians Round	10	2 lbs.
803C-4	4 x 1/4	Mechanics Square	10	3 lbs.
831C-3	#1 pt.	Genuine Phillips	10	1 1/2 lbs.
832C-4	#2 pt.	Genuine Phillips	10	2 1/2 lbs.
Stubby				
832C-1 1/4	#2 pt.	Genuine Phillips	10	1 1/2 lbs.
805C-2	2 x 3/8	Pocket with Clip	10	1/2 lb.

NEW DISPLAY PACK — NO. 899

4 of each of 6 most popular screwdrivers complete with peg board display hooks. Items 801C-4, 801C-6, 802C-3, 802C-6, 831C-3, 832C-4.

Std. Pack — 1

Wt. — 8 lbs.

BULK STOCK

Catalog Number	Blade Length	Description	Std. Pack	Wt. Box
801-4	4 x 1/4	Mechanics Round	6	1 1/4 lbs.
801-6	6 x 5/16	Mechanics Round	6	2 lbs.
801-8	8 x 3/8	Mechanics Round	6	3 1/4 lbs.
Stubby				
801-1 1/4	1 1/4 x 1/4	Mechanics Round	6	3/4 lb.
802-3	3 x 3/16	Electricians Round	6	3/4 lb.
802-6	6 x 3/16	Electricians Round	6	1 lbs.
802-8	8 x 3/16	Electricians Round	6	1 1/2 lbs.
803-4	4 x 1/4	Mechanics Square	6	1 1/2 lbs.
803-6	6 x 5/16	Mechanics Square	6	2 1/4 lbs.
803-8	8 x 5/16	Mechanics Square	6	3 lbs.
831-3	#1 pt.	Genuine Phillips	6	3/4 lb.
832-4	#2 pt.	Genuine Phillips	6	1 1/4 lbs.
833-6	#3 pt.	Genuine Phillips	6	2 1/4 lbs.
Stubby				
832-1 1/4	#2 pt.	Genuine Phillips	6	3/4 lb.
805-2	2 x 3/8	Pocket with Clip	6	1/4 lb.

VINYL-GRIP CARDED



Top quality Vinyl-Grip patented shock-proof handle with high torque blister-proof grip. Tool steel blade with precision ground point. Attractively carded for easy sale.

Catalog Number	Blade Length	Description	Std. Pack	Wt. Box
557	3 x 3/16	Electricians Round	10	2 lbs.
558	6 x 3/16	Electricians Round	10	2 1/2 lbs.
559	4 x 1/4	Mechanics Round	10	3 lbs.
560	6 x 1/4	Mechanics Round	10	3 1/2 lbs.
561	#1 pt.	Genuine Phillips	10	2 lbs.
562	#2 pt.	Genuine Phillips	10	3 lbs.

LEADER



Economy line • patented handle • Plated carbon blade

Catalog Number	Blade Length	Description	Std. Pack	Wt. Box
2011	#1 pt.	Cross Point	12	2 lbs.
2012	#2 pt.	Cross Point	12	3 lbs.
2014	3 x 3/16	Electricians Round	12	2 lbs.
2016	6 x 3/16	Electricians Round	12	2 1/2 lbs.
2024	4 x 1/4	Mechanics Round	12	3 lbs.
2026	6 x 1/4	Mechanics Round	12	3 1/2 lbs.

Furnished in free self selling counter display.

Contact your Bridgeport man for details.

MATCHLESS — The top quality wood handle line. Blades are full tempered and ferrules are polished. Hardwood handles have black baked enamel finish. Unconditionally guaranteed.

4000 LINE — Fine quality wood handle line. Most complete line available. Carbon steel blades are plated and polished. Special hardwood, walnut stained handles. Unconditionally guaranteed.

MATCHLESS



NOS. 92 & 98

MECHANICS ROUND

BOLSTER BLADE WITH INSULATING RING

Catalog Number	Blade Length	Blade Dia.	OA Length	Std. Pack	Wt. Doz.
92-3	3"	7/32"	7 1/2"	6	1 3/4 lbs.
92-4	4"	1/4"	7"	6	2 1/2 lbs.
92-6	6"	5/16"	12"	6	4 lbs.
92-8	8"	3/8"	14 1/2"	6	6 1/2 lbs.
92-12	12"	3/8"	18 1/2"	6	8 1/4 lbs.

Federal Spec. GGG-S-121D type 1, class 5, design B, shape A, style 2.



ELECTRICIANS ROUND

BOLSTER BLADE WITH INSULATING RING

Catalog Number	Blade Length	Blade Dia.	OA Length	Std. Pack	Wt. Doz.
98-3	3"	3/16"	7 1/2"	6	1 1/2 lbs.
98-6	6"	3/16"	10 1/2"	6	2 lbs.
98-8	8"	3/16"	12 1/2"	6	2 1/4 lbs.
98-10	10"	3/16"	14 1/2"	6	2 1/2 lbs.

Federal Spec. GGG-S-121D type 1, class 2, design B style 2.



NO. 94



MECHANICS ROUND

BLADE EXTENDS THROUGH HANDLE AND IS RIVETED

Catalog Number	Blade Length	Blade Dia.	OA Length	Std. Pack	Wt. Doz.
94-1 1/2	1 1/2"	3/16"	4"	6	1 lb.
94-3	3"	1/32"	7 1/2"	6	2 1/4 lbs.
94-4	4"	1/4"	9"	6	3 lbs.
94-6	6"	5/16"	12"	6	5 1/4 lbs.
94-8	8"	3/8"	14 1/2"	6	8 lbs.
94-10	10"	3/8"	16 1/2"	6	9 lbs.
94-12	12"	3/8"	18 1/2"	6	9 1/2 lbs.

Federal Spec. GGG-S-121D type 1, class 4, shape A, style 1.



NOS. 97 & 970



HEAVY MACHINIST TYPE — SQUARE SHANK

BLADE EXTENDS THROUGH HANDLE AND IS RIVETED

Catalog Number	Blade Length	Blade Dia.	OA Length	Std. Pack	Wt. Doz.
97-3 1/2	3 1/2"	3/8" sq.	8"	6	6 lbs.
970-1 3/4	1 3/4"	5/16" rd.	5 1/2"	6	4 lbs.



NO. 9



MASTER MECHANICS LINE

BLADE EXTENDS THROUGH HANDLE AND IS RIVETED

Catalog Number	Blade Length	Blade Dia.	OA Length	Std. Pack	Wt. Doz.
9-3	3"	7/32"	7 1/2"	12	2 lbs.
9-4	4"	1/4"	9"	12	2 3/4 lbs.
9-6	6"	5/16"	12"	12	4 3/4 lbs.
9-8	8"	3/8"	14 1/2"	12	7 1/4 lbs.

4000 LINE



NO. 4001



MECHANICS ROUND

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
4001-3	3"	7/32"	7 1/2"	12	1 1/2 lbs.
4001-4	4"	1/4"	9"	12	2 1/2 lbs.
4001-6	6"	5/16"	12 1/4"	12	4 lbs.
4001-8	8"	3/8"	14 1/2"	12	6 3/4 lbs.
4001-10	10"	3/8"	16 1/2"	6	7 1/2 lbs.
4001-1 1/4	1 1/4"	1/4"	3 3/4"	12	3/4 lb.

Federal Spec. GGG-S-121D type 1, class 5, design A, shape A, style 2.



ELECTRICIANS ROUND

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
4002-3	3"	3/16"	7 1/2"	12	1 1/2 lbs.
4002-6	6"	3/16"	10 1/2"	12	2 lbs.
4002-8	8"	3/16"	12 1/2"	12	2 1/4 lbs.

MECHANICS SQUARE

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
4003-4	4"	1/4"	9"	12	3 lbs.
4003-6	6"	5/16"	12"	12	4 1/2 lbs.
4003-8	8"	3/16"	14 1/2"	12	7 1/4 lbs.

Special matte finish used on these plated blades.



PHILLIPS

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
4351	#1	3"	3/16"	7 1/2"	12	1 lb.
4352	#2	4"	1/4"	9"	12	2 lbs.
4353	#3	6"	5/16"	11 1/2"	12	3 3/4 lbs.
4354	#4	8"	3/8"	14 1/2"	6	6 1/2 lbs.
Stubby						
4422	#2	1 1/4"	1/4"	3 3/4"	12	1 1/4 lbs.

Federal Spec. plated finish only on these blades.



NUTDRIVERS

Cat. No.	Hex. Size	OA Length	Wt. Doz.	Cat. No.	Hex. Size	OA Length	Wt. Doz.
4470-3/16	3/16"	6 5/8"	1 3/4 lbs.	4470-11/32	11/32"	6 5/8"	1 3/4 lbs.
4470-7/32	7/32"	6 5/8"	1 3/4 lbs.	4470-3/8	3/8"	7 1/8"	3 1/2 lbs.
4470-1/4	1/4"	6 5/8"	1 3/4 lbs.	4470-7/16	7/16"	7 1/8"	3 1/2 lbs.
4470-9/32	9/32"	6 5/8"	1 3/4 lbs.	4470-1/2	1/2"	7 1/8"	3 1/2 lbs.
4470-5/16	5/16"	6 5/8"	1 3/4 lbs.	4470-9/16	9/16"	7 1/8"	3 1/2 lbs.

Std. Pack 12/box

Blade shanks are matte finish—socket heads polished—overall nickel plate.

See page 10 for NUTDRIVER SETS and complete information.

GOOD QUALITY — LOW PRICED

OPEN STOCK

Catalog No.	Wt./Doz.
467-3	1 1/4 lbs.
467-4	2 1/4 lbs.
467-6	3 lbs.

Packed 12/box



NO. 466

8 each 467-3", 4" & 6" Mechanics Screwdrivers.

Wt. per Asst. — 4 1/2 lbs. 24 Screwdrivers per Assortment

Bridgeport
PHILLIPS
SCREWHOLDING
CLUTCH HEAD

CUSHION GRIP — Patented interlock handle and fully polished and chrome plated blades. Chrome-Vanadium steel carefully heat treated for long wear. Our finest quality. Unconditionally guaranteed.

RHINO — Full size shockproof plastic handle. Blades are polished and lacquered. Chrome-Vanadium steel carefully heat treated for long wear. Our most complete selection of sizes. Unconditionally guaranteed.


800 LINE — Comfortable plastic handles. Carbon steel blades are heat treated for rugged use. Plated blades. Unconditionally guaranteed.

4000 LINE — A complete line of wood handle Phillips screwdrivers. Meets all Government Specifications. Unconditionally guaranteed.



PHILLIPS

CUSHION GRIP



POLISHED • CHROME PLATED • CHROME-VANADIUM
 STEEL BLADE

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
2501	#1	3"	3/16"	6 5/16"	6	2 lbs.
2502	#2	4"	1/4"	7 3/4"	6	3 lbs.
2503	#3	6"	5/16"	10 1/2"	6	5 lbs.
2504	#4	8"	3/8"	13"	6	6 1/2 lbs.
Stubby 2522	#2	1 1/4"	1/4"	3 1/8"	6	1 1/2 lbs.

RHINO



POLISHED • LACQUERED • CHROME-VANADIUM STEEL BLADE

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
300	#0	3"	3/8"	6"	6	1/2 lb.
301	#1	3"	3/16"	6 3/16"	6	1 1/2 lbs.
302	#2	4"	1/4"	7 1/2"	6	2 1/4 lbs.
303	#3	6"	5/16"	10 1/4"	6	5 lbs.
304	#4	8"	3/8"	13"	6	6 lbs.
331	#1	8"	3/16"	11 1/2"	6	2 lbs.
332	#2	6"	1/4"	9 1/2"	6	2 3/4 lbs.
Stubby 311	#1	1"	3/16"	2 1/16"	6	1 lb.
322	#2	1 1/4"	1/4"	3 1/8"	6	1 1/2 lbs.

800 LINE*



POLISHED • PLATED • CARBON STEEL BLADE

Catalog Number	Point Size	Blade Length	Blade Diam.	Std. Pack	Wt. Doz.
831-3	#1	3"	3/16"	6	1 lb.
832-4	#2	4"	1/4"	6	1 1/2 lbs.
833-6	#3	6"	5/16"	6	5 lbs.
Stubby 832-1 1/4	#2	1 1/4"	1/4"	6	1 1/2 lbs.

*Now available on colorful skin-packed cards—see Page 6.
 Federal Spec. GGG-S-121D type 6, class 1, style 1.

4000 LINE



PLATED CARBON STEEL BLADE

Catalog Number	Point Size	Blade Length	Blade Diam.	Std. Pack	Wt. Doz.
4351	#1	3"	3/16"	12	1 lb.
4352	#2	4"	1/4"	12	2 lbs.
4353	#3	6"	5/16"	12	3 1/4 lbs.
4354	#4	8"	3/8"	6	6 1/2 lbs.
Stubby 4422	#2	1 1/4"	1/4"	12	1 1/4 lbs.

Federal Spec. GGG-S-121D type 6, class 1, style 2.



SCREWHOLDING

SURE GRIP



MECHANICS POINT • AMBER HANDLE • PLATED
 CHROME-VANADIUM BLADE

Catalog Number	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
247-2	2"	1/8"	3 15/16"	6	1/2 lb.
247-3	3"	3/8"	5 3/4"	6	3/4 lb.
247-4	4"	1/2"	6 3/4"	6	7/8 lb.
247-6	6"	5/8"	9 3/16"	6	1 1/4 lbs.
247-8	8"	3/4"	11 3/16"	6	1 1/2 lbs.
248-2	2"	3/16"	3 3/8"	6	1 1/4 lbs.
248-4	4"	1/8"	7 1/2"	6	1 3/4 lbs.
248-7	7"	3/16"	10 1/2"	6	2 1/2 lbs.
249-8	8"	9/32"	12 1/4"	6	3 lbs.



PHILLIPS POINT



AMBER HANDLE • PLATED CHROME-VANADIUM BLADE

Catalog Number	Point Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
261-3	#1	3"	3/16"	6 3/16"	6	1 1/2 lbs.
262-4	#2	4"	1/4"	7 1/2"	6	2 1/4 lbs.

See Page 5 for New SCREWHOLDING Display Rack.

No. 247-A Display

Contains:

- 3 No. 247-2"
- 4 No. 247-3"
- 2 No. 247-4"
- 2 No. 247-6"
- 1 No. 247-8"

Wgt. 1 1/4 lbs.
 Std. Pack 1/box.



No. 306 Phillips

Display Contains

6 No. 300 #0 pt. Phillips
 Wgt. 1/2 lb.
 Std. Pack 1/box.



TYPE 'G' CLUTCH HEAD



POLISHED • ALLOY STEEL BLADE • PLASTIC HANDLE

Catalog Number	Clutch Size	Blade Length	Blade Diam.	OA Length	Std. Pack	Wt. Doz.
401	5/32"	4"	1/4"	7 1/2"	6	2 1/2 lbs.
402	3/16"	4"	1/4"	7 1/2"	6	2 1/2 lbs.
403	1/4"	6"	5/16"	9 3/4"	6	4 1/2 lbs.
404	5/16"	6"	3/8"	9 3/4"	6	5 lbs.

Polished and Lacquered Alloy Steel Blades.

OFFSETS




NEW P-O-P DISPLAY CARDS

New Point - Of - Purchase self selling package. Features screw size coding for quick and easy selection.

Most popular Mechanics and genuine Phillips points — precision ground — chromate plated.

No. 112C 10/box Wt./box 1 1/4 lb.
No. 137C 10/box Wt./box 1 1/4 lb.
No. 138C 10/box Wt./box 1 lb.



NO. 138, 139, 141

Double End Mechanics Offset.
Chromate Plated — Knurled non-skid shank.

Federal Spec. GGG-S-121D type 4, class 1.

138 4 1/2" x 1/4" Mechanics Point Wt./doz. 1 lb.
139 5" x 5/16" Mechanics Point Wt./doz. 1 1/2 lbs.
141 6" x 3/4" Mechanics Point Wt./doz. 2 1/2 lbs.
Std. Pack—12/box



NO. 112 & 113

Genuine Phillips Point Offset.
Chromate Plated — Knurled non-skid shank.

Federal Spec. GGG-S-1210 type 4, class 3, style 1.

112 5" x 1/4" #1 & #2 Phillips Wt./doz. 1 1/4 lbs.
113 6 1/4" x 3/8" #3 & #4 Phillips Wt./doz. 3 lbs.
Std. Pack—12/box



NO. 137

Combination Phillips and Mechanics Offset.
Chromate Plated — Knurled non-skid shank.

137 5" x 1/4" #2 Phillips & Mechanics Wt./doz. 1 1/4 lbs.
Std. Pack—12/box

SPARK PLUG TESTING



NO. 12

Pocket size auto mechanics tool.

Federal Spec. GGG-S-121D & Amend. 2, type 7.
Blade 2" x 1/8" Wt./doz. 3/4 lb. Std. Pack—12/box

INSULATED



NO. 4-W

Tempered Steel Blade is covered with Shock-Proof Insulation, molded to Vulcanized Rubber handle.
Blade 5" x 3/16" Wt./doz. 2 1/4 lbs. Std. Pack—12/box



NO. 340

INSTRUMENT SCREWDRIVER P-O-P DISPLAY

Point-Of-Purchase self-selling display builds impulse sales.
12 of Number 344 Screwdrivers on a card.

Std. Pack 1 card/box

Wt./card 1/4 lb



NO. 344

Precision made small blade screwdriver.
Blade dimensions accurately controlled.

Blade 1 1/2" x 3/32" Tip .058" x .010" Plated Finish
Std. Pack—12 screwdrivers/envelope Wt./doz. 1/4 lb.



NO. 34-2

POCKET CLIP SCREWDRIVER P-O-P DISPLAY

A popular impulse-sale screwdriver. Point-Of-Purchase Display perfect for cash register or check-out counter display.
12 of Number 34-A Screwdrivers on a card.

Std. Pack—1 card/box

Wt./card 1/4 lb.



NO. 34-A

Open stock of this popular screwdriver available.
Plated blade measures 2" x 1/8".

Std. Pack—12/box

Wt./doz. 1 1/2 lb.

GOVERNMENT SPECIFICATIONS

In addition to the many tools listed in this catalog that meet Government specifications Bridgeport manufactures to special order on specific Government requirements. For further information on items manufactured, prices, delivery or special quotations on new items please contact our Government Sales Manager at the factory in Bridgeport, Connecticut.



FORGED NUTDRIVERS

UNCONDITIONALLY GUARANTEED

490 CUSHION GRIP

The finest nutdriver available. **NOW COLOR CODED.** High-torque comfort-grip handle gives 50% greater turning power, it's hammer-proof, shockproof and non-flammable. Forged one piece shank is deep drilled to accommodate projecting bolt. Full polish and chrome plated.

COLOR CODE



Hex. Size	Blade Length	Color Code	Wt. Doz.	Hex. Size	Blade Length	Color Code	Wt. Doz.
490-3/16	3 1/8"	Black	2 1/2 lbs.	490-11/32	3 1/8"	Green	2 1/2 lbs.
490-7/32	3 1/8"	Brown	2 1/2 lbs.	490-3/8	3 3/8"	Blue	3 lbs.
490-1/4	3 1/8"	Red	2 1/2 lbs.	490-7/16	3 3/8"	Brown	4 1/4 lbs.
490-9/32	3 1/8"	Orange	2 1/2 lbs.	490-1/2	3 3/8"	Red	4 1/4 lbs.
490-5/16	3 1/8"	Yellow	2 1/2 lbs.	490-9/16	3 3/8"	Orange	4 1/2 lbs.

Insulated Cushion Grip furnished on request.

Std. Pack 6/box

478 TENITE HANDLE

COLOR CODED. Oversized amber handle gives extra torque, is hammerproof, shockproof and non-flammable. One piece forged tool steel blade is deep drilled. Full polish and chrome plated.



Hex. Size	Blade Length	Color Code	Wt. Doz.	Hex. Size	Blade Length	Color Code	Wt. Doz.
478-3/16	3 1/8"	Black	2 lbs.	478-11/32	3 1/8"	Green	2 lbs.
478-7/32	3 1/8"	Brown	2 lbs.	478-3/8	3 3/8"	Blue	3 3/4 lbs.
478-1/4	3 1/8"	Red	2 lbs.	478-7/16	3 3/8"	Brown	4 lbs.
478-9/32	3 1/8"	Orange	2 lbs.	478-1/2	3 3/8"	Red	4 lbs.
478-5/16	3 1/8"	Yellow	2 lbs.	478-9/16	3 3/8"	Orange	4 1/2 lbs.

Std. Pack 6/box

4470 HARDWOOD HANDLE

A very serviceable mechanics tool for those who prefer hardwood handles. One piece forged steel blade is deep drilled and plated to prevent rust.



Hex. Size	Blade Length	Wt. Doz.	Hex. Size	Blade Length	Wt. Doz.
4470-3/16	3 1/8"	1 3/4 lbs.	4470-11/32	3 1/8"	1 3/4 lbs.
4470-7/32	3 1/8"	1 3/4 lbs.	4470-3/8	3 3/8"	3 1/2 lbs.
4470-1/4	3 1/8"	1 3/4 lbs.	4470-7/16	3 3/8"	3 3/4 lbs.
4470-9/32	3 1/8"	1 3/4 lbs.	4470-1/2	3 3/8"	3 3/4 lbs.
4470-5/16	3 1/8"	1 3/4 lbs.	4470-9/16	3 3/8"	4 1/4 lbs.

Std. Pack 6/box



POUCHED SETS in attractive snap fit plastic—contains one each of the seven most popular sizes: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2".


No. 497P Cushion Grip Set—Color Coded
Weight 1 3/4 lbs. Std. Pkg. 3 pouches/box
No. 487P Amber Handle Set—Color Coded
Weight 1 1/2 lbs. Std. Pkg. 3 pouches/box
No. 477P Hardwood Handle Set
Weight 1 1/2 lbs. Std. Pkg. 3 pouches/box



DISPLAY BOX SETS as illustrated.

Contains one each of seven most popular sizes: 3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2".

No. 497 Cushion Grip Set—Color Coded
Weight 2 lbs. Std. Pkg. 1 set/box
No. 487 Amber Handle Set—Color Coded
Weight 1 3/4 lbs. Std. Pkg. 1 set/box
No. 477 Hardwood Handle Set
Weight 1 3/4 lbs. Std. Pkg. 1 set/box




DISPLAY RACKS—attractively designed, heavy-duty racks will control stock and build impulse sales.

No. 491 Cushion Grip Nutdriver Display Rack contains 3 ea. of seven most popular 490 nutdrivers (3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2".) No. 491 Display Rack Display Size: 11" wide, 8" deep, 8" high. Standard Pack: 21 Nutdrivers. Free Display Unit. Shipping Weight 8 lbs.

No. 492 Amber Handle Nutdriver Display Rack contains 3 ea. of seven most popular 478 nutdrivers. (3/16", 1/4", 5/16", 11/32", 3/8", 7/16", 1/2".) No. 492 Display Rack Display Size: 11" wide, 8" deep, 8" high. Standard Pack 21 Nutdrivers. Free Display Unit. Shipping Weight 7 1/2 lbs.

WOOD CHISELS

No. 382 Set — 1 each of 4 sizes in durable plastic case. $\frac{1}{4}$ ", $\frac{1}{2}$ ", $\frac{3}{4}$ ", and 1".
Std. Pack 6 sets/box
Wt./set 1 lb.



NO. 381

Special analysis $4\frac{1}{2}$ " tool steel beveled blade.
Two tone amber handle.

Catalog Number	Size	Std. Pack	Wt. Doz.
381- $\frac{1}{4}$	$\frac{1}{4}$ "	6	2 lbs.
381- $\frac{1}{2}$	$\frac{1}{2}$ "	6	2 $\frac{1}{2}$ lbs.
381- $\frac{3}{4}$	$\frac{3}{4}$ "	6	3 lbs.
381-1	1"	6	3 $\frac{1}{4}$ lbs.

NAIL PULLERS



NO. 20 — 18 inch

Unbreakable — Finest Bridgeport quality. Box-joint forged tempered jaws — Black and red baked enamel finish.

Std. Pack—12

Wt./doz. 48 lbs.



NO. 56 — 18 inch

Box-joint forged tempered jaws — Black enameled finish.

Federal Spec. GGG-P-791B type 1, class 1, box-joint.

Std. Pack—12

Wt./doz. 45 lbs.



NO. 64 — 18 INCH

Forged tempered steel jaws — Natural finish, enameled handle.

Federal Spec. GGG-P-791B type 1, class 2, side joint.

Std. Pack—12

Wt./doz. 45 lbs.

REPLACEMENT PARTS — order by part name and nail puller catalog number: Handle with stop pin — Long jaw — Short jaw — Long and short jaw assembly.

SCRATCH AWL



NO. 400

Tempered steel $3\frac{1}{2}$ " x $\frac{1}{4}$ " blade with forged bolster and polished finish. Black enameled hardwood handle with plated ferrule.

Std. Pack 6/box


Wt./doz. 1 $\frac{3}{8}$ lbs.

WOOD CHISELS AWLS, PUTTY KNIVES SCRAPERS, TROWELS NAIL PULLERS

TROWELS



NO. 160



NO. 170



NO. 180



NO. 181

PUTTY KNIVES AND SCRAPERS



NO. 125



NO. 129



NO. 132



NO. 135

NO. 142

Catalog Number	Description	Blade Size	Std. Pack	Wt. Doz.
Mahogany Finish Hardwood Handles				
160	Pointing Trowel	$5\frac{1}{2}$ "	12	3 lbs.
170	Brick Trowel	10"	6	6 $\frac{1}{4}$ lbs.
180	Plastering Trowel	10"	6	10 $\frac{1}{4}$ lbs.
181	Mastic Spreader	10"	6	10 $\frac{1}{4}$ lbs.
129	Scraping Knife	$2\frac{3}{4}$ "	12	2 $\frac{1}{4}$ lbs.
135	Putty Knife	$1\frac{3}{16}$ "	12	1 $\frac{1}{4}$ lbs.
Natural Finish Hardwood Handles				
125	P. B. Scraper	$3\frac{1}{2}$ "	12	4 lbs.
Red Steel Handles				
132	Scraping Knife	$2\frac{3}{4}$ "	12	2 $\frac{1}{4}$ lbs.
142	Putty Knife	$1\frac{1}{8}$ "	12	2 lbs.

All the above tools have tempered steel blades.

WRENCHES



Popular open end wrench sizes packed in handy clip sets. Priced for volume sales. Now packed 3 sets per box.

Catalog Number	Description	Std. Pack	Wt. Set
Plated Finish in Screw Clip			
15N	$\frac{5}{16}$ " to $\frac{3}{4}$ "—5 pc. set	3 sets/box	$\frac{7}{8}$ lb.
25N	$\frac{5}{16}$ " to $\frac{7}{8}$ "—6 pc. set	3 sets/box	1 $\frac{1}{2}$ lbs.
Plated Finish in Enameled Steel Screw Clip			
52N	$\frac{5}{16}$ " to $\frac{7}{8}$ "—6 pc. set	3 sets/box	1 $\frac{3}{4}$ lbs.
53N	$\frac{3}{8}$ " to 1"—6 pc. set	3 sets/box	2 $\frac{1}{4}$ lbs.
Blued Finish in Screw Clip			
15	$\frac{5}{16}$ " to $\frac{3}{4}$ "—5 pc. set	1	$\frac{7}{8}$ lb.
25	$\frac{5}{16}$ " to $\frac{7}{8}$ "—6 pc. set	1	1 $\frac{1}{2}$ lbs.
Each set individually paper wrapped.			
Blued Finish in Enameled Steel Screw Clip			
52	$\frac{5}{16}$ " to $\frac{7}{8}$ "—6 pc. set	1	1 $\frac{3}{4}$ lbs.
53	$\frac{3}{8}$ " to 1"—6 pc. set	1	2 $\frac{1}{4}$ lbs.
Each set individually paper wrapped.			

COMBINATION — OPEN END — BOX HEAD



Popular selling sizes in all weather plastic pouch or in plated steel screw clip. Long lasting satin chromate finish.

Cat. No.	Sizes	Description	Std. Pack	Wt. Set
Durable All Weather Plastic Pouches				
604P	$\frac{3}{8}$ "- $\frac{1}{2}$ "- $\frac{9}{16}$ "- $\frac{5}{8}$ "	4 pc. set	6 sets/box	$\frac{1}{2}$ lb.
605P	$\frac{7}{16}$ "- $\frac{1}{2}$ "- $\frac{9}{16}$ "- $\frac{5}{8}$ "- $\frac{3}{4}$ "	5 pc. set	6 sets/box	$\frac{3}{4}$ lb.
606P	$\frac{7}{16}$ "- $\frac{1}{2}$ "- $\frac{9}{16}$ "- $\frac{5}{8}$ "- $\frac{11}{16}$ "- $\frac{3}{4}$ "	6 pc. set	6 sets/box	1 lb.
Plated Screw Type Clips				
604C	$\frac{3}{8}$ "- $\frac{1}{2}$ "- $\frac{9}{16}$ "- $\frac{5}{8}$ "	4 pc. set	3 sets/box	$\frac{1}{2}$ lb.
605C	$\frac{7}{16}$ "- $\frac{1}{2}$ "- $\frac{9}{16}$ "- $\frac{5}{8}$ "- $\frac{3}{4}$ "	5 pc. set	3 sets/box	$\frac{3}{4}$ lb.
606C	$\frac{7}{16}$ "- $\frac{1}{2}$ "- $\frac{9}{16}$ "- $\frac{5}{8}$ "- $\frac{11}{16}$ "- $\frac{3}{4}$ "	6 pc. set	3 sets/box	1 lb.

HY-BAR (OFFSET) — OPEN END



Popular sizes packaged for volume sales in pouches and screw clips.

Cat. No.	Sizes	Description	Std. Pack	Wt. Set
Plated Finish—Durable All Weather Plastic Pouch				
590	$\frac{5}{16}$ " to $\frac{3}{4}$ "	5 pc. set	6 sets/box	$\frac{3}{4}$ lb.
Plated Finish—Plated Screw Clip				
59N	$\frac{5}{16}$ " to $\frac{3}{4}$ "	5 pc. set	3 sets/box	1 $\frac{1}{8}$ lbs.
69N	$\frac{5}{16}$ " to $\frac{7}{8}$ "	6 pc. set	3 sets/box	1 $\frac{1}{2}$ lbs.
Blued Finish—Plated Screw Clip				
59	$\frac{5}{16}$ " to $\frac{3}{4}$ "	5 pc. set	1 (paper wrapped)	1 $\frac{1}{8}$ lbs.
69	$\frac{5}{16}$ " to $\frac{7}{8}$ "	6 pc. set	1 (paper wrapped)	1 $\frac{1}{2}$ lbs.

OPEN STOCK

DROP FORGED TEMPERED STEEL MODERN 15° DESIGN

Each wrench hot drop forged from special analysis steel rod. Wrench heads at 15° angle for ease of use. Openings carefully milled for accurate fit. Wrench ends clearly marked with size of opening. Plated wrenches have long lasting satin chromate finish.

Catalog Number		Size	Std. Pack	Wt. Doz.
Plated Finish	Blued Finish			
215	214	$\frac{5}{16}$ " x $\frac{13}{32}$ "	12	$\frac{3}{4}$ lb.
7235	7234	$\frac{3}{8}$ " x $\frac{7}{16}$ "	12	1 $\frac{1}{4}$ lbs.
725B5	725B4	$\frac{1}{2}$ " x $\frac{9}{16}$ "	12	2 lbs.
275	274	$\frac{19}{32}$ " x $\frac{11}{16}$ "	12	3 lbs.
7295	7294	$\frac{5}{8}$ " x $\frac{3}{4}$ "	12	4 $\frac{3}{4}$ lbs.
315	314	$\frac{15}{32}$ " x $\frac{7}{8}$ "	12	7 $\frac{1}{2}$ lbs.
33C5	33C4	$\frac{15}{16}$ " x 1"	12	10 lbs.

DROP FORGED TEMPERED STEEL — DURABLE SATIN CHROMATE FINISH

Double efficiency with open end and box head style openings on the same wrench. A 12 point box head and a 15° angle open end. Slim design. All openings accurately broached or milled with sizes clearly marked.

Catalog Number	Size	Std. Pack	Wt. Doz.
612	$\frac{3}{8}$ "	12	$\frac{3}{4}$ lb.
614	$\frac{7}{16}$ "	12	$\frac{7}{8}$ lb.
616	$\frac{1}{2}$ "	12	1 $\frac{1}{8}$ lbs.
618	$\frac{9}{16}$ "	12	1 $\frac{5}{8}$ lbs.
620	$\frac{5}{8}$ "	12	2 $\frac{3}{8}$ lbs.
622	$\frac{11}{16}$ "	12	3 $\frac{1}{8}$ lbs.
624	$\frac{3}{4}$ "	12	4 lbs.

DROP FORGED TEMPERED STEEL — DURABLE SATIN CHROMATE FINISH

All openings are accurately milled and sizes are clearly marked. Offset pattern saves knuckles.

Catalog Number		Size	Std. Pack	Wt. Doz.
Plated Finish	Blued Finish			
21HB5	21HB	$\frac{5}{16}$ " x $\frac{13}{32}$ "	12	$\frac{3}{4}$ lb.
723HB5	723HB	$\frac{3}{8}$ " x $\frac{7}{16}$ "	12	1 $\frac{1}{4}$ lbs.
725HB5	725HB	$\frac{1}{2}$ " x $\frac{9}{16}$ "	12	2 lbs.
27HB5	27HB	$\frac{19}{32}$ " x $\frac{11}{16}$ "	12	3 lbs.
729HB5	729HB	$\frac{5}{8}$ " x $\frac{3}{4}$ "	12	4 $\frac{3}{4}$ lbs.
31HB5	31HB	$\frac{15}{32}$ " x $\frac{7}{8}$ "	12	7 $\frac{1}{2}$ lbs.

ADJUSTABLE HACK SAW




NO. 35 (8" to 12" blade)

Top Quality — Heavy Duty Construction.
Overall Plate — Unbreakable Handle.

Supplied with 10" blade — Depth $3\frac{1}{2}$ " — Length $17\frac{1}{2}$ "
Std. Pack—Individually boxed Wt./doz. 20 lbs.

COPING SAWS AND BLADES



NO. 101

Plated 6" Frame Complete with One Blade.

Depth of Frame— $4\frac{1}{2}$ ".

Std. Pack—12 Wt./doz. 4 lbs.

6" Loop End blades—Cat. No. 110—Packed 1 gross



NO. 19

Plated $6\frac{1}{2}$ " Frame Complete with One Blade.
Red Hardwood Handle.

Depth of Frame— $4\frac{3}{4}$ ".

Std. Pack—12 Wt./doz. 5 lbs.

Pin Type Blades—Cat. No. 200—Packed 1 gross

NAIL SETS AND CENTER PUNCHES



NO. 321

Tempered Steel Square Head and Knurled Grip.
Cannot Roll — Natural Finish.


Catalog Number	Description	Std. Pack	Wt. Doz.
321A	$1\frac{1}{32}$ " Cant Roll Set	12	1 lb.
321B	$\frac{9}{32}$ " Cant Roll Set	12	1 lb.
321C	$\frac{3}{32}$ " Cant Roll Set	12	1 lb.
321D	$\frac{1}{32}$ " Cant Roll Set	12	1 lb.
321	Asst.—3 each of 4 sizes	1 ass't.	1 lb.
325	Cant Roll Center Punch	12	1 lb.



PLIERS, CHISELS NAIL SETS, SAWS ADJUSTABLE WRENCH

DROP FORGED STEEL PLIERS

Popular Price



Hot Drop Forged for Durability — Milled Openings.

NO. 136—Slip Joint

$6\frac{1}{2}$ " Combination — Plated Finish.

Std. Pack—12

Wt./doz. $4\frac{1}{2}$ lbs.

No. 134—Slip Joint

$6\frac{1}{2}$ " Combination — Blued Finish.

Std. Pack—12

Wt./doz. $4\frac{1}{2}$ lbs.



NO. 149—Long Nose

Cutting Jaw — Polished Long Nose — Red Enameled Grip.

$6\frac{1}{2}$ " Long Nose.

Std. Pack—12

Wt./doz. 3 lbs.

FORGED ADJUSTABLE WRENCH



NO. 33

Hot Drop Forged — Special Steel Sliding Jaw.

33	9" Adjustable—Blued Finish	6	10 lbs.
330	9" Adjustable—Plated Finish	6	10 lbs.

FORGED COLD CHISELS



NO. 451

Hot Drop Forged — Fully Tempered.
Blued Finish with Ground Bevel.

Catalog Number	Std. Pack	Wt. Doz.	Catalog Number	Std. Pack	Wt. Doz.
451- $\frac{1}{4}$	12	$\frac{3}{4}$ lb.	451- $\frac{5}{8}$	6	$4\frac{1}{4}$ lbs.
451- $\frac{5}{16}$	12	$\frac{3}{4}$ lb.	454- $\frac{3}{4}$	6	$7\frac{1}{4}$ lbs.
451- $\frac{3}{8}$	12	$1\frac{1}{2}$ lbs.	451- $\frac{7}{8}$	6	10 lbs.
451- $\frac{1}{2}$	12	$3\frac{1}{4}$ lbs.	451-1	6	16 lbs.

FORGED TIRE TOOL




NO. 275

Hot Drop Forged — Fully Tempered.
All Edges Smooth.

Std. Pack—1 doz.

Wt./doz. 16 lbs.

AXES, HATCHETS BOX OPENING TOOLS RIPPING TOOLS




CUSHION GRIP BELT AX

Drop forged — ALL-IN-ONE-PIECE. Head cannot loosen or come off. Unbreakable handle. Scientifically tempered to insure durable cutting edge. Contoured Neoprene Cushion Grip. Safety red-baked enamel finish — length 12½".

Catalog Number	Description	Std. Pack	Wt. Each
424	Ax and Sheath	6	2 ¼ lbs.
425	Ax	6	2 lbs.
425C*	Belt Ax only with lanyard hole in handle. Coast Guard approved	6	2 lbs.
426	Sheath only	1	¼ lb.
428	Ax and Sheath Individually Boxed	1	2 ½ lbs.

*Federal Specification GGG-A-926B type 1, class 1, design E, style 2.

TOMAHAWK TOOL



NO. 99

Versatile tool of many uses. Hatchet, hammer, pry bar, box chisel, nail puller, fence tightener. Forged from one piece of steel — Unbreakable. Comfortable hardwood grips are securely riveted. Length 12½". Baked red enamel finish.

Std. Pack—Individually boxed

Wt./each 1½ lbs.

FORGED STEEL CRATE OPENERS



Hot Drop Forged — Fully Tempered. Special non-slip head — polished claw.

Catalog Number	Description	Std. Pack	Wt. Doz.
70	9" Blued Finish	6	10 ½ lbs.
82	9" Plated Finish	6	11 lbs.
Federal Spec. GGG-O-599A. Size MWL, type 1.			
76	6½" Blued Finish	6	6 lbs.
78	6½" Plated Finish	6	6 lbs.
96	8" Blued Finish	6	8 lbs.
98	8" Plated Finish	6	8 lbs.

FLAT BOX CHISEL



NO. 21

Forged Steel — Polished Claw.

Federal Spec. GGG-O-599A type 2.

Std. Pack—6

Wt./doz. 15 lbs.

NAIL PULLER



NO. 18

NEW RUBBER GRIP for fast work — Sure handling. Compact design with full leverage. Drop forged, tempered steel. Red baked enamel finish with polished claw. BRIDGEPORT Mechanics Quality.

Length 11"

Std. Pack—6

Wt./doz. 17 lbs.

FORGED RIPPING TOOLS

RIPPING BAR



NO. 17

Lightweight, tough-tempered, forged steel. New improved gooseneck. Gives powerful leverage. Beveled chisel—19½" x 5/8" — Red baked enamel finish. BRIDGEPORT Mechanics Quality.

Std. Pack—6

Wt./doz. 21 lbs.

ANGLED CHISEL PRY



NO. 22

Tough tempered, hot drop forged steel with half polished claw. 18" x 3/4" Hex. BRIDGEPORT Mechanics Quality.

Std. Pack—6

Wt./doz. 24 lbs.

90° CHISEL PRY



NO. 23

Tough tempered, hot drop forged steel with half polished claw. BRIDGEPORT Mechanics Quality.

Std. Pack—6

Wt./doz. 27 lbs.




800 CONSUMER LINE

Manufactured to the highest quality standards. Priced for volume sales. The 800 Line hex keys are made to exacting tolerances with special analysis steels. Each key is completely heat treated and tempered under electronic control for guaranteed hard, long wearing surface.

7 PC. SHORT ARM PLATED SET

Packaged in attractive green plastic pouch.

Hex Sizes $\frac{5}{64}$ " to $\frac{1}{4}$ "
Std. Pack 100 sets/carton
Wgt. 20 lbs./carton



No. 7PS


7 PC. LONG ARM PLATED SET NO. 7PL

Std. Pack 100 Sets/carton Wgt. 25 lbs./carton

11 PC. SHORT ARM PLATED SET

Packaged in green plastic pilfer proof divider pack for impulse sales.

Hex Sizes .050" to $\frac{3}{8}$ "
Std. Pack 50 sets/carton
Wgt. 20 lbs./carton




No. 11PS

18 PC. LONG & SHORT ARM PLATED SET

The complete kit for auto, home or factory. Packed in green plastic pilfer proof divider pack.

Hex Sizes .035" to $\frac{5}{16}$ "
Std. Pack 25 sets/carton
Wgt. 20 lbs./carton



No. 18PSL

7 PC. FOLDING HEX KEY SET

Strong I-beam style case makes this pocket wrench rugged for hard use. Entire tool is plated and packed in an attractive plastic case.

Hex Sizes .050" to $\frac{3}{16}$ "
Std. Pack 12 key sets/box
Wgt. 3 lbs./box

No. FK7



7 PC. FOLDING HEX KEY SET

Carded for impulse sales. Pilfer proof package.

Hex Sizes .050" to $\frac{3}{16}$ "
Std. Pack 12 cards/box
Wgt. 3 lbs./box

No. FK7C



HEX KEYS

BRIDGEPORT INDUSTRIAL LINE

"SUPERHARD" CHROME MOLY STEEL

Manufactured to BRIDGEPORT mechanics quality standards. The finest — UNCONDITIONALLY GUARANTEED.

Made of special chrome moly steels in both long and short arm styles. All BRIDGEPORT brand hex keys are black finish — processed to give a "SUPERHARD" and long wearing key.

9 PC. LONG ARM SET

BLACK FINISH
SUPER HARD ALLOY

This set packaged in bright green — High sales appeal — Two snap plastic pouch. A must for Refrigeration and Oil Burner repairs.

Hex Sizes $\frac{5}{64}$ " to $\frac{3}{8}$ "
Std. Pack 50 sets/carton
Wgt. 33 lbs./carton



No. 9PXL


OPEN STOCK

Size	Short Arm	Long Arm	Socket Set Screws	Socket Head Cap Screws	Flat Head Cap Screws	Std. Pack	Wt. per Box	
							Short Arm	Long Arm
.050	Yes	No	#3, 4	#0, 1	—	100	$\frac{1}{4}$ lb.	—
$\frac{1}{16}$ "	Yes	No	#5, 6	#2	#4	100	$\frac{1}{4}$ lb.	—
$\frac{5}{64}$ "	Yes	Yes	#8	#3, 4	#5, 6	100	$\frac{1}{2}$ lb.	$\frac{3}{4}$ lb.
$\frac{3}{32}$ "	Yes	Yes	#10	#5, 6	#8	100	$\frac{3}{4}$ lb.	1 lb.
$\frac{1}{8}$ "	Yes	Yes	$\frac{1}{4}$ "	#8	#10	100	1 $\frac{1}{4}$ lbs.	2 lbs.
$\frac{5}{32}$ "	Yes	Yes	$\frac{5}{16}$ "	#10	$\frac{3}{4}$ "	100	2 $\frac{1}{4}$ lbs.	3 $\frac{1}{4}$ lbs.
$\frac{3}{16}$ "	Yes	Yes	$\frac{3}{8}$ "	$\frac{1}{4}$ "	$\frac{5}{16}$ "	100	3 $\frac{1}{4}$ lbs.	5 lbs.
$\frac{7}{32}$ "	Yes	Yes	$\frac{7}{16}$ "	$\frac{5}{16}$ "	$\frac{3}{8}$ "	50	2 $\frac{1}{2}$ lbs.	3 $\frac{1}{2}$ lbs.
$\frac{1}{4}$ "	Yes	Yes	$\frac{1}{2}$ "	$\frac{3}{8}$ "	$\frac{7}{16}$ "	50	3 $\frac{1}{2}$ lbs.	4 $\frac{1}{2}$ lbs.
$\frac{5}{16}$ "	Yes	Yes	$\frac{5}{8}$ "	$\frac{7}{16}$ "	$\frac{1}{2}$ "	25	3 $\frac{1}{4}$ lbs.	4 $\frac{1}{2}$ lbs.
$\frac{3}{8}$ "	Yes	Yes	$\frac{3}{4}$ "	$\frac{1}{2}$ "	$\frac{5}{8}$ "	25	5 lbs.	6 $\frac{3}{4}$ lbs.
$\frac{1}{2}$ "	Yes	Yes	$\frac{7}{8}$ "	$\frac{5}{8}$ "	—	25	10 lbs.	17 lbs.

Short Arm Style will be shipped unless otherwise specified.

NEW

ADJUSTABLE HEX KEY TOOL



A NEW ADJUSTABLE TOOL—Specially designed for the electronics industry. The hex key blade adjusts from $\frac{1}{2}$ " to $\frac{5}{16}$ " so that the hex key tool can be set for the specific job to be done. Use different tool for each size key needed. Saves hours—cuts out lost time caused by changing blades or looking for loose blades.

Hex Key Size	Complete Tool		Replacement Blades	
	Catalog Number	Wt. Doz.	Catalog Number	Wt. Doz.
$\frac{5}{64}$ "	2591	4 $\frac{1}{2}$ lbs.	2591K	$\frac{1}{2}$ lb.
$\frac{3}{32}$ "	2592	4 $\frac{1}{2}$ lbs.	2592K	$\frac{1}{2}$ lb.
$\frac{1}{8}$ "	2593	4 $\frac{1}{2}$ lbs.	2593K	$\frac{1}{2}$ lb.
$\frac{5}{32}$ "	2594	4 $\frac{1}{2}$ lbs.	2594K	$\frac{1}{2}$ lb.
$\frac{3}{16}$ "	2595	4 $\frac{1}{2}$ lbs.	2595K	$\frac{1}{2}$ lb.
$\frac{7}{32}$ "	2596	5 lbs.	2596K	$\frac{3}{4}$ lb.
$\frac{1}{4}$ "	2597	5 lbs.	2597K	$\frac{3}{4}$ lb.
$\frac{5}{16}$ "	2598	5 lbs.	2598K	$\frac{3}{4}$ lb.

Std. Pack—6 Tools per box

Std. Pack—12 keys per box

Extra $\frac{1}{16}$ " right angle adjusting keys available—catalog number 2580K

Std. Pack—12 per box

Wt./doz.— $\frac{1}{4}$ lb.



**BRIDGEPORT HARDWARE
MFG. CORP.**

Bridgeport, Connecticut 06605
U. S. A.

63A

PRINTED IN U.S.A.